





Available in 4 top shapes and can be placed in many configurations! Standard offering includes integrated backpack hooks and height adjustable legs.



Hourglass



Rectangle



Hyve



Triangle













Top Choices

High-Pressure Laminate with Colored T-Molding

Our high-pressure laminate tops with a substrate of particle board core have a 5mm radiused edge T-Molding. There are 12 colors of T-Molding and 14 colors of high-pressure laminate to choose from allowing for pops of color in the classroom and endless color palette ideas. For our particle board core desktops, we have designed an integrated X pattern support frame that fits flush to the bottom of the desk and is secured alongside each leg assembly. This integrated frame offers reinforced strength and quality and is pre-installed by CEF to help save time on installation.



*pre-drilled holes for book box shown

High-Pressure Laminate on Baltic Birch

Our high-pressure laminate tops with a substrate of Baltic birch requires no T-molding or edge banding. The edge is exposed layers of wood that are sealed with a conversion varnish, providing a smooth durable satin finish, which offers beautiful aesthetics and a seamless edge around the desktop. Durability with texture that creates a warm environment. There are 14 colors of high-pressure laminate to choose from.

→ FENIX® Innovative Materials on Baltic Birch

Award-winning Fenix offers premium smart innovative material. Our Fenix Tops with a substrate of Baltic birch requires no T-Molding or edge banding. The edge is exposed layers of wood that are sealed with a conversion varnish, providing a smooth durable satin finish, which offers beautiful aesthetics and a seamless edge around the desktop. Durability with texture that creates a warm environment. Fenix Innovative Surfacing is a soft to the touch, anti-fingerprint, ultra-matte surface. Its premium make up creates a surface that is highly resistant to scratches, abrasion, and repeated cleaning. This smart material also boasts thermal healing of superficial micro-scratches.

Customization Options

Leg Choices:

- All with backpack hooks
- All without backpack hooks
- Only one leg with a backpack hook



2 Book Box Choices: ∘

- Gratnells Pencil Drawer
- Metal Book Box







Customization Options

Leg Base Choices:

- Glides Only
- Wheelbarrow Casters (2)
 - All Casters in 8 Color Offerings * Glides pre-installed per leg
 - *Casters are not available for Hyve







→ T-Molding Color Choices:



Laminate Choices:

FENIX® Innovative Materials



High-Pressure Laminate



^{*} Additional Formica or Wilsonart laminates are available for 250+ desks with possible upcharge and increased lead time







Scan QR for more inspiration

Color Inspiration

→ High-Pressure Laminate + T-Molding + Caster Color







Chambray Royal + Royal + Blue











White Drops + Putty + Grey/Putty











Tailored Linen + Smoke + Dark Grey







ESTO


Height Adjustable Individual Student Desk



Scan QR for more inspiration

Color Inspiration

High-Pressure Laminate + T-Molding










Scan QR for more inspiration

Color Inspiration

→ High-Pressure Laminate + Baltic Birch + Caster Color



White

Drops

Tailored

Linen

Black

Lime

Green

Folkstone

Нех








Scan QR for more inspiration

Color Inspiration

→ FENIX® + Baltic Birch + Caster Color





ESTO

Height Adjustable Individual Student Desk



Scan QR for more inspiration

Configuration Ideas

(Circles represent seating)

Hyve













-- Rectangle
















→ Hourglass















--∘ Triangle

















Specifications

Overview

Book Box

Metal Book Box:

15.75"D x 10.25"W x 3"H (Internal)

Gratnells Undermount Pencil Drawer:

 $15^{"}D \times 10.5^{"}W \times 2.75^{"}H$ (Internal)

Casters/Glides

2" Swivel Caster with Wheel Brake:

*Not available for Hyve

Housing made of Polyamide. Colored wheel center made of Polyamide, Non-marking Tread: Polyurethane.

Weight load:

110 dynamic/220 static each

Glides:

Weight Load: 300 static each Polyamide 6 (PA6) non-marking nylon

Integrated Steel Frame

* Only on High-Pressure Laminate with partical board core

1/2" Square Solid Steel Bar
 Welded at intersection points
 1/4-20 Tapped holes for mounting legs

Legs

Adjustability (allen wrench):

21"-32" (with glides) 23"-34" (with casters) Powder coated upper &

lower sections

Telescoping Collar for scratch prevention

Upper Tube:

14 Gauge 50mm Steel Tubing

Lower Tube:

16 Gauge 45mm Steel Tubing

Top Plate:

5 Gauge Steel Plate

7 Mounting Points

Gusset/Backpack Hook:

6 Gauge Steel Plate

Threaded End Cap:

10 Gauge Steel

Substrate

 $\frac{5}{4}$ Baltic Birch laminated Core density: 45 lbs.

 $1^{1}/_{8}$ Particle Board Core Density: 45 lbs.

T-Molding: 5mm Radius-PVC





Specifications

Dimensions

*Additional sizes available upon request and project size.

Ask your CEF sales associate for more details.

Hourglass 17-1/4 30-1/4" Height Adjustable Glides: 21"-32" Casters: 23-34" Hyve

20"

3"L x 2.75"W



Height Adjustable Glides 21"-32"